

Corrigendum Document
Dated: 06th August 2021

**Request for Proposal for Selection of Agency for Supply and Installation of ICT Equipments for
Tripura State Wide Area Network (TSWAN).**

**RFP No.22(9)/DIT/COMM/2020
Dated 07.07.2021.**

ISSUED BY

GOVERNMENT OF TRIPURA
DIRECTORATE OF INFORMATION TECHNOLOGY
ITI Road, Indranagar, Agartala – 799 006

With reference to the Request for Proposal published on 07.07.2021 (Request for Proposal reference number No.F. No.22(9)/DIT/COMM/2020 Dated 07.07. 2021) for Selection of Agency for Supply and Installation of ICT Equipments for Tripura State Wide Area Network (TSWAN), this corrigendum is being issued with the following amendments in the tender document with immediate effect:

Page/Clause	Existing	Revised
Page 6/	Last Date And Time For Receipt Of eBids : 16/08/2021 at 15:00 Hrs	Last Date And Time For Receipt Of eBids : 23/08/2021 at 15:00 Hrs
Page-6/	Date & Time Of Opening Of Prequalification Bids and Technical Bids : 17/08/2021 at 15:30 Hrs	Date & Time Of Opening Of Prequalification Bids and Technical Bids : 24/08/2021 at 15:30 Hrs
Page-9/2.2 Eligibility / Pre- Qualification Criteria for Bidders; SI 1	The Bidder should be registered under the Companies Act, 1956 or Companies Act 2013, and should have been in existence for the last 5 (five) years (from 2016-17) in the field of Network Operations and related Facility Management Services in India.	The Bidder should be registered under the Companies Act, 1956 or Companies Act 2013, and should have been in existence for the last 5 (five) years (from 2016-17).
Page 25/ 4. Scope of Work; (ii)	All Switches, Laptops may be initially delivered at DIT and after configuration, it has to be delivered to consignee locations or actual SWAN PoPs. However, UPSs and Racks are to be delivered to consignee locations or actual SWAN PoPs.	All Switches and Laptops may be delivered at DIT. However, UPSs and Racks are to be delivered to consignee locations or actual SWAN PoPs.
Page-26/ 9. Penalty Exclusions	Systems not owned or controlled by IA. However, IA will troubleshoot the failure and rectify the problem with spares/equipment/software/components provided by DIT and maintain the SLA.	Systems not owned or controlled by IA.
Page-29/ Annexure 1: IA Profile		Deleted: Serial number 7, 10, 11, 12, 13, 15, 17, 21 of the Table for IA Profile.
Page-42/ Annexure 11: Technical Evaluation Criteria; SI 1	The Bidder should be registered under the Companies Act, 1956 or Companies Act 2013, and should have been in existence for the last 5 (five) years in the field of Network Operations and related Facility Management Services in India.	The Bidder should be registered under the Companies Act, 1956 or Companies Act 2013, and should have been in existence for the last 5 (five) years.
Page-47/1. Switch specification: (i)Type 1: Managed Switch - 24 ports Non-PoE	Ports: 1G ports - 24; Uplink interfaces – 4 SFP; should be populated with 4 nos. 1G fiber transceivers (compatible with Switch);	Ports: 1G ports - 24; Uplink interfaces – 4 SFP; should be populated with 4 nos. 1G Single Mode fiber transceivers (compatible with Switch); Switch and Transceivers should be from same OEM.
Page-47/1. Switch specification: (i)Type 1: Managed Switch - 24 ports Non-PoE	SDN Support: Yes	SDN/REST API or equivalent: Yes
Page-47/1. Switch specification: (i)Type 1: Managed Switch - 24 ports Non-PoE	Features support: Access Control Lists (ACLs); VXLAN; IP Routing (including static, RIPv1, RIPv2, RIPng, OSPF); QoS features; MACsec-128, NetFlow; Non-PoE; SNMP;	Features support: Access Control Lists (ACLs); IP Routing (including static, RIPv1, RIPv2, RIPng, OSPF); QoS features; MACsec-128 / VXLAN, NetFlow / sflow ; Non-PoE; SNMP;

Page-47/1. Switch specification: (i) Type 1: Managed Switch - 24 ports Non-PoE	Warranty: 5 Years	Warranty: 5 Years comprehensive onsite support from the OEM, advance hardware replacement service.
Page-48/(ii) Type 2: Managed Switch - 24 ports Non-PoE	Ports: 1G ports - 24; Uplink interfaces – 4 SFP; should be populated with 2 Nos. 1G and 2 nos. 10G fiber transceivers (compatible with Switch);	Ports: 1G ports - 24; Uplink interfaces – 4 SFP; should be populated with 2 Nos. 1G and 2 nos. 10G single mode fiber transceivers (compatible with Switch); Switch and Transceivers should be from same OEM.
Page-48/(ii) Type 2: Managed Switch - 24 ports Non-PoE	SDN Support: Yes	SDN/REST API or equivalent: Yes
Page-48/(ii) Type 2: Managed Switch - 24 ports Non-PoE	Features support: Access Control Lists (ACLs); VXLAN; IP Routing (including static, RIPv1, RIPv2, RIPng, OSPF); QoS features; MACsec-128, NetFlow; Non-PoE; SNMP;	Features support: Access Control Lists (ACLs); IP Routing (including static, RIPv1, RIPv2, RIPng, OSPF); QoS features; MACsec-128 / VXLAN, NetFlow / sflow; Non-PoE; SNMP;
Page-48/(ii) Type 2: Managed Switch - 24 ports Non-PoE	Warranty: 5 Years	Warranty: 5 Years comprehensive onsite support from the OEM, advance hardware replacement service.
Page-49/2. UPS Specification: i) Online UPS 2 KVA;	Battery Backup Time: The system must be capable of providing 1 hour battery backup with 100% load. Bidder should specify the total number of batteries, voltage and AH rating of each battery. Calculation sheet in support of backup time shall be submitted with the bid.	Battery Backup Time: The system must be capable of providing 1 Hours battery backup with 100% load. Minimum VAH - 4000 VAH.
Page-49/2. UPS Specification: i) Online UPS 2 KVA;	Quality: ISO 9001, ISO 14001	Quality: ISO 9001, ISO 14001, BIS certification.
Page-49/2. UPS Specification: i) Online UPS 2 KVA;	Warranty: 5 years	Warranty: UPS 5 years; Battery 3 years;
Page-50/(ii) Online UPS 1 KVA;	Battery Backup Time: The system must be capable of providing 1 hour battery backup with 100% load. Bidder should specify the total number of batteries, voltage and AH rating of each battery. Calculation sheet in support of backup time shall be submitted with the bid.	Battery Backup Time: The system must be capable of providing 1 Hours battery backup with 100% load. Minimum VAH - 2000 VAH.
Page-50/(ii) Online UPS 1 KVA;	Quality: ISO 9001, ISO 14001	Quality: ISO 9001, ISO 14001, BIS certification.
Page-50/(ii) Online UPS 1 KVA;	Warranty: 5 years	Warranty: UPS 5 years; Battery 3 years;

<p>Page-51/3. Laptop, Specification for Laptop</p>	<p>Intel Core i7-10610U (1.8 GHz, up to 4.9 GHz, 8 MB cache, 4 cores); 8 GB DDR4 RAM or higher; 1 TB HDD; 14" or above Wide Screen Display; Ports & Slots (Minimum): 1 USB, 1 HDMI, 1 RJ-45; Windows 10 licensed Operating System; Warranty: 5 years onsite warranty.</p>	<p>Intel Core i7-10610U (1.8 GHz, up to 4.9 GHz, 8 MB cache, 4 cores) or AMD RYZEN 7 4700U (2.00 GHz, upto 4.1 GHz, 12 MB Cache, 8 core) or higher; 8 GB DDR4 RAM or higher; 1 TB HDD; 14" or above Wide Screen Display; Ports & Slots (Minimum): 1 USB, 1 HDMI, 1 RJ-45; Windows 10 licensed Operating System; Warranty: 5 years onsite warranty.</p>																																
		<p>Added: Specification as mention bellow for Networking Rack 9U added at serial 4 under Annexure 13.</p> <table border="1" data-bbox="1163 477 1976 800"> <thead> <tr> <th>Sl</th> <th>Parameter</th> <th>Specification</th> <th>Compliance (Yes/No)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Type of Rack</td> <td>Portable Rack</td> <td></td> </tr> <tr> <td>2</td> <td>Mount type</td> <td>Wall mount</td> <td></td> </tr> <tr> <td>3</td> <td>Rack size</td> <td>9U</td> <td></td> </tr> <tr> <td>4</td> <td>Front glass door</td> <td>Yes</td> <td></td> </tr> <tr> <td>5</td> <td>Support cable entry for top or bottom</td> <td>Yes</td> <td></td> </tr> <tr> <td>6</td> <td>Number of Fan for heat dissipation</td> <td>Minimum 1(one)</td> <td></td> </tr> <tr> <td>7</td> <td>PDU Power Strips</td> <td>Yes</td> <td></td> </tr> </tbody> </table>	Sl	Parameter	Specification	Compliance (Yes/No)	1	Type of Rack	Portable Rack		2	Mount type	Wall mount		3	Rack size	9U		4	Front glass door	Yes		5	Support cable entry for top or bottom	Yes		6	Number of Fan for heat dissipation	Minimum 1(one)		7	PDU Power Strips	Yes	
Sl	Parameter	Specification	Compliance (Yes/No)																															
1	Type of Rack	Portable Rack																																
2	Mount type	Wall mount																																
3	Rack size	9U																																
4	Front glass door	Yes																																
5	Support cable entry for top or bottom	Yes																																
6	Number of Fan for heat dissipation	Minimum 1(one)																																
7	PDU Power Strips	Yes																																

Note: - Rest of the Tender document will remain same.